



- A.i.f = Anti-interference filter
- b0 = Line switch
- b2 = Door switch
- b7 = Floater switch
- b9 = Salt switch
- b10 = Rinse aid switch
- f3.2 = Overheating thermostat
- f3.3 = Overheating protector
- f5.1 = Level pressostat
- H1 = Heater
- K1 = Start capacitor
- m2 = Main pump
- m3 = Drain pump
- Nt = Net terminal
- Ta = Tachometer, inside motor
- Te = Thermistor NTC
- S1 = Inlet valve
- S2/4 = Detergent/Rinse aid coil
- S3 = Regeneration valve
- = 6.3mm connection on component
- = PCB --- --- component
- = 6.3mm --- --- electronic
- = PCB --- --- electronic
- = Internal connection on electronic- or component
- = Connection with wire

VARIANT NUMBER	MODEL	CHANGRS FROM THE BASIC NUMBER

POS		MODIFICATIONS		SIGNATURE	REQUEST	DATE
MATERIAL		MODEL MD 30		SCALE		
TREATMENT		DESIGN USERS		REPLACES No. 1509743-00 Rev B		
DESIGN OWNER		DRN	CHD	DATE 04.03.26		DERIVED FROM No. SUPPLY SPECIFICATIONS No.
TN		ALJ	APPR	TN040125		
TITLE				El. circuit diagram, integrated. With softener		
NUMBER				155 12 03-00		REV A

