



only built-under oven:  
(look up the circuit  
diagram hob activation)

nur für Einbauherde:  
(siehe Schaltplan  
Muldenansteuerung)

THE ITEMS SHOWN IN THIS DRAWING MUST NOT CONTAIN FORMALDEHYDE, CADMIUM, MERCURY, ASBESTOS OR PBB/PPBDQ.

THIS DRAWING CONTAINS CONFIDENTIAL INFORMATION. ITS PROPERTY OF ELECTROLUX WITHOUT WHICSE PERMISSION IT MAY NOT BE COPIED, SHOWN OR HANDED TO A THIRD PARTY OR OTHERWISE USED, AND IT IS TO BE RETURNED PROMPTLY UPON REQUEST TO ELECTROLUX WHICH IS RESPONSIBLE FOR THE DRAWING.

[2] CRITICAL DIMENSIONS WHICH MUST BE UNDER CAPABILITY

SAFETY RISKS  
VISIBLE SURFACES  
DRAFT ANGLES (NOT SHOWN): 0.00°/00°00'

THEORETICAL FLAT AREA  
DEVELOPED FLAT AREA

GENERAL TOLERANCES  
ANGLES : ±°  
LENGTHS AND DIMETERS  
18-80 mm : ±°  
>80 mm : ±°

A4

A		new drawing created		Georgi	DGT 15937	03-03-10		
ZUST	MODIFICATIONS					SIGNATURE	REQUEST	DATE
DESIGN	OWNER	DRN	CHD	DATE	DESIGN	USERS	EUROPEAN METHOD	
DGT	DGR-PE_PD	Renner	APPR	03-03-10	-	-		
					TITLE circuit diagram oven TITEL Schaltplan Herd NUMBER 330 5680			
						SHEET	REV	
						01 (01)	A	