



only built-under oven:
(look up the circuit
diagram hob activation)

nur für Einbauherde:
(siehe Schaltplan
Muldenansteuerung)

THE ITEMS SHOWN IN THIS DRAWING MUST NOT CONTAIN FORMALDEHYDE, CADMIUM, MERCURY, ASBESTOS OR PBB/PBDO.

THIS DRAWING CONTAINS CONFIDENTIAL INFORMATION. IT'S PROPERTY OF ELECTROLUX. WITHOUT WHOSE PERMISSION IT MAY NOT BE COPIED, SHOWN OR HANDED TO A THIRD PARTY OR OTHERWISE USED, AND IT IS TO BE RETURNED PROMPTLY UPON REQUEST TO ELECTROLUX, WHICH IS RESPONSIBLE FOR THE DRAWING.

CRITICAL DIMENSIONS WHICH MUST BE UNDER CAPABILITY

SAFETY RISKS

[2] CRITICAL DIMENSIONS WHICH MUST BE UNDER CAPABILITY

VISIBLE SURFACES

DRAFT ANGLES (NOT SHOWN): 0.00°/00°

THEORETICAL FLAT AREA

DEVELOPED FLAT AREA

GENERAL TOLERANCES

ANGLES : ±°

LENGTHS AND DIAMETERS

18-80 mm : ±0.10

>80 mm : ±0.15

A4

DESIGN		OWNER		DRN		CHD		DATE		DESIGN		USERS		SIGNATURE		REQUEST		DATE	
DGT		DGR-PE_PD		Renner		Georgi		03-03-10		-		-		400V				EUROPEAN METHOD	
										TITLE circuit diagram oven TITEL Schaltplan Herd NUMBER 330 5683									
										SHEET 01 (01)				REV A					