



THE TERMS SHOWN IN THIS DRAWING MUST NOT CONTAIN FORMALDEHYDE, CADMIUM, MERCURY, ASBESTOS OR PBB/PBDO.

THIS DRAWING CONTAINS CONFIDENTIAL INFORMATION. IT'S PROPERTY OF ELECTROLUX. WITHOUT EXPRESS PERMISSION IT MAY NOT BE COPIED, SHOWN OR HANDED TO A THIRD PARTY OR OTHERWISE USED, AND IT IS TO BE RETURNED PROMPTLY UPON REQUEST TO ELECTROLUX WHICH IS RESPONSIBLE FOR THE DRAWING.

CRITICAL DIMENSIONS WHICH MUST BE UNDER CAPABILITY [2] MUST BE UNDER CAPABILITY

SAFETY RISKS  
VISIBLE SURFACES  
DRAFT ANGLES (NOT SHOWN): 07°/00°/01°

GENERAL TOLERANCES  
ANGLES : 30°  
LENGTHS AND DIAMETERS:  
-18 mm : ±0.15 mm  
18-80 mm : ±0.20 mm  
80 mm : ±0.30 mm

A4

**A** Anmerkung / Note  
Nur bei Einbauerherde! only built under ovens!  
Siehe Schaltplan der Muldenansteuerung. look up the circuit diagram hob activation.

DESIGN		OWNER		DRN		CHD		DATE		DESIGN		USERS		EUROPEAN METHOD	
DGT		DGR-PE_PD		Renner		Renner		2004-04-07		-		-			
A		new drawing created		Renner		DGT 22289		2004-04-07		SIGNATURE		REQUEST		DATE	
MODIFICATIONS										SIGNATURE		REQUEST		DATE	
TITLE										circuit diagram oven		SHEET		REV	
TITEL										Schaltplan Herd		01(01)		A	
NUMBER										330 6915		SHEET		REV	

