

THE ITEM(S) SHOWN IN THIS DRAWING MUST NOT CONTAIN
FORMALDEHYDE,
CADDMIUM, MERCURY,
ASBESTOS OR PBB/PBDO.


THIS DRAWING CONTAINS CONFIDENTIAL INFORMATION.
IT'S PROPERTY OF ELECTROLUX WITHOUT WHOSE
PERMISSION IT MAY NOT BE COPIED, SHOWN OR HANDED
TO A THIRD PARTY OR OTHERWISE USED, AND IT IS TO
BE RETURNED PROMPTLY UPON REQUEST TO ELECTROLUX
WHICH IS RESPONSIBLE FOR THE DRAWING.

CRITICAL DIMENSIONS WHICH
MUST BE UNDER CAPABILITY
[2] SAFETY RISKS
DRAFT ANGLES (NOT SHOWN): 0°/0000°

THEORETICAL FLAT AREA
DEVELOPED FLAT AREA

GENERAL TOLERANCES
ANGLES : ±°
LENGTHS AND DIAMETERS:
18-80 mm. : ±°
>80mm. : ±°

A4



only built-under oven:
(look up the circuit
diagram hob activation)

nur für Einbauberde:
(siehe Schaltplan
Muldenansteuerung)

DESIGN		OWNER		DRN		CHD		DATE		DESIGN		USERS		EUROPEAN METHOD	
DGT		PD - HEO		Renner		Renner		2006-10-24		-		-			
Electrolux										TITLE circuit diagram oven TITEL Schaltplan Herd NUMBER 387 4268 SHEET 01 (01) REV A					

A new drawing created				Renner	DGT 45660	2006-10-24	
ZUST	MODIFICATIONS				SIGNATURE	REQUEST	DATE