


HOCHSPANNUNG
HIGH VOLTAGE
HAUTE TENSION
ALTA TENSION



MCC 663

conditions:
Tür offen
door open
porte ouverte
porta abierto

Legende der Bezeichnungen, Declaration denotation, Déclaration indication, Declaración denotación

DE	GB	FR	ES	IT	NL	SE
CHT	capacitor high voltage	condensateur haute tension	condensador de alta tension	condensatore alta tensione	hoogspanningscondensator	högspänningskondensator
DHT	diode high tension	diode haute tension	diode de alta tension	diodo alta tensione	hoogspanningsdiode	högspänningsdiode
DLV	diode low voltage	redresseur bas tension	rectificador	radrizzatore bassa tensione	gelijkrichtdiode	lågspänningsdiode
DPR	diode protection	diode sécurité	diode protector	diodo di sicurezza	beveiligingsdiode	skyddsdiode
FHT	fuse high voltage	fusible haute tension	fusible de alta tension	fusibile alta tensione	hoogspanningszekering	högspännings säkring
FLV	fuse low voltage	fusible basse tension	fusible	fusibile bassa tensione	laagspanningszekering	lågspännings säkring
FMN	main fuse	fusible principal	fusible principal	fusibile principale	hoofdzekering	huvudsäkring
FMO	monitor fuse	fusible de contrôle	fusible de control	fusibile di controllo	zekering	lucksäkring
FN	noise filter	filtre antiparasite	filtre antiparasitario	filtro antdisturbo	neffilter	störskydd
HCV	heater convection	élément chauffant convection	resistencia de circulación	resistenza convezione	hetelucht element	varmluftselement
HGR	heater grill	élément chauffant grill	resistencia grill	resistenza grill	grill element	färgsättningsselement
LAC	lamp cavity	lampe cavité	iluminación horno	lampade forno	oven lamp	ugnslampa
LAD	lamp display	voyant	piloto indicador	lampade spia	indicatie lampje	signallampa
MAG	magnetron	magnétron	magnetron	magnetron	magnetronbuis	magnetron
MFL	motor air flap	moteur clapet	motor valvula de aireación	motore flap	motor luchtklep	reglermotor
MST	motor stirrer	moteur répartiteur ondes	motor distribuidor ondas	motore stirrer	motor veldverdeler	motor omrörare
MT	motor timer	moteur minuterie	motor programador	motorino timer	timer motor	timermotor
MTT	motor turn table	moteur plateau tournant	motor plato giratorio	motore piatto rotante	motor draaiplateau	motor glasbricka
MV	motor blower	moteur du ventilateur	motor ventilador	motore ventilatore	ventilator motor	fläktmotor
PCB	electronic module	platine électronique	platina electronica	scheda elettronica	electronic	kretskort
RCV	relay convection	relais convection	rele de convection	relé convezione	hetelucht relais	circuitsrelä
RHT	relay grill	relais grill	rele grill	relé grill	grill relais	elementrelä
RIR	cut-in resistor	résistance de démarrage	resistencia conexion	resistenza smorzatrice	inschakelweerstand	startmotstånd
RLJR	relay inrush	relais démarrage	rele conexion	relé per resistenza smorzatrice	inschakelrelais	startrelä
RLM	main relay	relais principal	rele principal	relé principal	hoofdrelais	huvudrelä
RPC	monitor relay	relais de contrôle	rele de control	relé di controllo	controle relais	relä lucka
RVPC	relay var. power control	relais puissance régulateur	rele regulador potencia	relé regolatore di potenza	relais vermogensregeling	relä potentiometer
RWR	resistance wire	résistance	resistencia	resistenza	draadweerstand	ledningsmotstånd
SWDO	switch door	interrupteur porte	interruptor puerta	interruttore porta	schakelaar deur	mikroströmställare dörr
SWGR	switch grill	interrupteur grill	interruptor de grill	interruttore grill	schakelaar grill	strömställare grillelement
SWMO	monitor switch	interrupteur de contrôle	interruptor de control	interruttore di controllo	controle schakelaar	luckströmställare
SWMW	switch microwave	interrupteur micro-ondes	interruptor microondas	interruttore microonde	schakelaar magnetron	mikrovågsströmställare
SWPR	primary switch	interrupteur primaire	interruptor primario	interruttore primario	schakelaar primair	mikroströmställare primär
SWSE	secondary switch	interrupteur secondaire	interruptor secundario	interruttore secondario	schakelaar secundair	mikroströmställare sekundär
SWTM	timer switch	interrupteur minuterie	interruptor programador	interruttore timer	schakelaar timer	strömställare programverk
SWVPC	switch VPC	interrupteur puis. régulateur	interruptor regulador potencia	interruttore regolador potencia	schakel. vermogensregeling	strömställare potentiometer
THC	thermostat cavity	thermostat cavité	termostato horno	termostato forno	thermostaat	ugnstermostat
THG	thermostat grill	thermostat grill	termostato grill	termostato grill	thermostaat grill	thermostat element
THM	thermostat magnetron	thermostat magnétron	termostato magnetron	termostato magnetron	thermostaat magnetron	magnetronthermostat
TRHT	transformer high voltage	transformateur haute tension	transformador de alta tension	trasformatore alta tensione	hoogspanningstrafo	högspänningstransformator
TRLV	transformer low voltage	transformateur basse tension	transformador	trasformatore bassa tensione	laagspanningstrafo	lågspänningstransformator
	Farben/colors/colours					
BK	schwarz/black/noir/negro/zwart	OR	orange/orange/orange/naranja			
WH	weiß/white/blanc/blanco/wit	BN	braun/brown/marron/brun/marron			
RD	rot/red/rouge/rojo/rood	VT	violet/violet/violet/violeta			
BL	blau/blue/bleu/azul/blaauw	GY	grau/grey/gris			
GN	grün/green/vert/verde/groen	PK	pink/pink/rose/rosa			
YL	gelb/yellow/jaune/amarillo/geel	LB	helblau/light blue/bleu/clair/azul claro			

Technical Specifications

Model reference		MCC 663
Functions		Kombi-Gerät
Oven type		A92CQ20V
colour	<i>black</i>	947 602 314
	<i>white</i>	947 602 313
	<i>metall</i>	947 602 315
	<i>white</i>	947 602 318
	<i>black</i>	947 602 319
	<i>metall</i>	947 602 320
	<i>alu</i>	947 602 317
	<i>alu</i>	947 602 354
cavity volume		29 l
supply voltage		230 V 50 Hz
fuse		13 A
Standard		CEE
power consumption		
Microwave		1550 W
Grill		1550 W
Convection		
MW + Grill		3050 W
MW + Convection		3050 W
power output		
MW		900 W
Grill		1500 W
Convection		1500 W
Stirrer		No
Door open system		door button
Cavity material		stainless
Hinged heater		No
Built in/Kit type		EURO
Type of control		electronic
Timer scale		60`
MW level		9
Grill level		GP 1-3
Convection temperature		
Roastery Funktion		
Turn-table on/off		yes
Power cord		1,25 m
plug		EURO