


HOCHSPANNUNG
HIGH VOLTAGE
HAUTE TENSION
ALTA TENSION



NOTE:OVEN DOOR IN OPEN STATE

SWA: THE PRIMARY INTERLOCK SWITCH
SWB: THE SECOND INTERLOCK SWITCH
SWC: THE MONITOR INTERLOCK SWITCH
L: OVEN LAMP
FM: FAN MOTOR
TM: TRAY MOTOR
H1,H2: HEATER
FU: THERMOSTAT
F1,F2: FUSE

Legende der Bezeichnungen, Declaration denotation, Déclaration indication, Declaración denotación

DE	GB	FR	ES	IT	NL	SE
CHT	Hochspannungskondensator	condensateur haute tension	condensador de alta tension	condensatore alta tensione	hoogspanningscondensator	högspänningskondensator
DHT	Hochspannungsdiod	diod	diodo de alta tension	diodo alta tensione	hoogspanningsdiode	högspänningsdiod
DLV	Gleichrichter Niedersp.	redresseur bas tension	rectificador	radrizzatore bassa tensione	gelijkrichtdiode	lågspänningsdiod
DPR	Sicherheitsdiod	diod	diodo protector	diodo di sicurezza	beveiligingsdiode	skyddsdiode
FHT	Hochspannungssicherung	fusible haute tension	fusible de alta tension	fusibile alta tensione	hoogspanningszekering	högspänningsssäkring
FLV	Niederspannungssicherung	fusible basse tension	fusible	fusibile bassa tensione	laagspanningszekering	lågspänningsssäkring
FMN	Hauptsicherung	fusible principal	fusible principal	fusibile principale	hoofdzekering	huvudsäkring
FMO	Überwachungssicherung	fusible de contrôle	fusible de control	fusibile di controllo	zekering	lucksäkring
FN	Netzfilter	filtre antiparasite	filtro antiparasitario	filtro antidisturbo	nefilter	störskydd
HCV	Heizkörper Umluft	heater convection	élément chauffant convection	resistencia de circulación	hetelucht element	varmluftselement
HGR	Heizkörper Grill	élément chauffant grill	resistencia grill	resistencia grill	grill element	färgsättningsselement
LAC	Lampe Garraum	lampe cavité	iluminación horno	lampade forno	oven lamp	ugnslampe
LAD	Lampe Anzeige	voyant	piloto indicador	lampade spia	indicatie lampje	signallampa
MAG	Magnetron	magnétron	magnetron	magnetron	magnetronbuis	magnetron
MFL	Motor Luftklappe	motor clapet	motor valvula de aireación	motore flap	motor luchtklep	reglermotor
MST	Motor Wellenrührer	motor répartiteur ondes	motor distribuidor ondas	motore stirrer	motor veldverdeler	motor omrörare
MT	Motor Timer	motor minuterie	motor programador	motorino timer	timer motor	timermotor
MTT	Motor Drehteller	motor plateau tournant	motor plato giratorio	motore piatto rotante	motor draaiplateau	motor glasbricka
MV	Motor Gebläse	motor blower	motor ventilador	motore ventilatore	ventilator motor	fläktmotor
PCB	Elektronikplatine	platine électronique	platina electronica	scheda elettronica	electronic	kretskort
RCV	Relais Umluft	relais convection	relé de convection	relé convezione	hetelucht relais	circuitsrelä
RHT	Relais Grill	relais grill	relé grill	relé grill	grill relais	elementrelä
RIR	Lastwiderstand Einsch.	résistance de démarrage	resistencia conexion	resistencia conezione	inschakelweerstand	startmotstånd
RLJR	Relais Einschalt	relais démarrage	relé conexion	relé per resistenza smorzatrice	inschakelrelais	startrelä
RLM	Relais Haupt	relais principal	relé principal	relé prinzipale	hoofdrelais	huvudrelä
RPC	Relais Überwachung	relais de contrôle	relé de control	relé di controllo	controle relais	relä lucka
RVPC	Relais Leistungsregelung	relais puissance régulateur	relé regulador potencia	relé regolatore di potenza	relais vermogensregeling	relä potentiometer
RWR	Leitungswiderstand	résistance	resistencia	resistenza	draadweerstand	ledningssmotstånd
SWDO	Schalter Tür	interrupteur porte	interruptor puerta	interruttore porta	schakelaar deur	mikroströmställare dörr
SWGR	Schalter Grill	interrupteur grill	interruptor de grill	interruttore grill	schakelaar grill	strömställare grillelement
SWMO	Schalter Überwachung	interrupteur de contrôle	interruptor de control	interruttore di controllo	controle schakelaar	luckströmställare
SWMW	Schalter Mikrowelle	switch microwave	interrupteur micro-ondes	interruttore microonde	schakelaar magnetron	mikrovägsströmställare
SWPR	Schalter primär	primary switch	interrupteur primaire	interruttore primario	schakelaar primair	mikroströmställare primär
SWSE	Schalter sekundär	secondary switch	interrupteur secondaire	interruttore secondario	schakelaar secundair	mikroströmställare sekundär
SWTM	Schalter Timer	timer switch	interrupteur minuterie	interruttore timer	schakelaar timer	strömställare programverk
SWVPC	Schalter Leistungsregelung	switch VPC	interrupteur puis. régulateur	interruttore regulador potencia	schakel. vermogensregeling	strömställare potentiometer
THC	Garraumthermostat	thermostat cavity	thermostat cavité	termostato horno	thermostaat	ugnstermostat
THG	Grillthermostat	thermostat grill	thermostat grill	termostato grill	thermostaat grill	thermostat element
THM	Magnetronthermostat	thermostat magnétron	thermostat magnétron	termostato magnetron	thermostaat magnetron	magnetronthermostat
TRHT	Hochspannungstrafo	transformateur haute tension	transformador de alta tension	trasformatore alta tensione	hoogspanningstrafo	högspänningstransformator
TRLV	Niederspannungstrafo	transformateur basse tension	transformador	trasformatore bassa tensione	laagspanningstrafo	lågspänningstransformator
	Farben/colours/colours					
BK	schwarz/black/noir/negro/zwart	OR	orange/orange/orange/naranja			
WH	weiß/white/blanc/blanco/wit	BN	braun/brown/marron/brun/marron			
RD	rot/red/rouge/rojo/rood	VT	violett/violet/violet/violeta			
BL	blau/blue/bleu/azul/blaauw	GY	grau/grey/gris			
GN	grün/green/vert/verde/groen	PK	pink/pink/rose/rosa			
YL	gelb/yellow/jaune/amarillo/geel	LB	hellblau/light blue/bleu clair/azul claro			

Technical Specifications

Model reference	EME 2350
Functions	
Oven type	J 23 EG
colour	<i>brown</i> <i>white</i> 947 602 350 110 Volt <i>white</i> 947 602 352 230 Volt <i>white</i> 947 602 375 ZM 23 TG <i>grey</i>
cavity volume	23 l
supply voltage	230 V 60 Hz / 110 V 60 Hz 230 V 50 Hz
fuse	10 A 16 A
Standard	CEE
power consumption	
Microwave	1280 W
Grill	
Convection	1200 W
MW + Grill	
MW + Convection	
power output	
MW	800 W
Grill	
Convection	
Stirrer	No
Door open system	door button
Cavity material	stainless
Hinged heater	No
Built in/Kit type	EURO
Type of control	electronic
Timer scale	60`
MW level	5
Grill level	2
Convection temperature	
Roastery Funktion	
Turn-table on/off	yes
Power cord plug	1,25 m EURO