


This drawing contains confidential information and is the property of Electrolux. It may not be copied, shown or handed to a third party or otherwise used, and it is to be returned promptly upon request to the person who issued it. The person who issues it is responsible for the drawing.

[2] Critical dimensions which must be under capability  
 SAFETY REQUIREMENT  
 Draft angles (not shown):  
 THEORETICAL FLAT AREA  
 DEVELOPED FLAT AREA  
 GENERAL TOLERANCES  
 ANGLES  
 LENGTHS AND DIAMETERS



$$\begin{aligned}
 a &= \text{Cu+Lamp} = 3350+25 = 3375\text{W} \\
 b &= \text{RF+LF} = 1200+2300 = 3500\text{W} \\
 c &= \text{RR+LR} = 1700+2000 = 3700\text{W}
 \end{aligned}$$

Components =

1	R1	Hilight	Ø140	1200W	24	-	-
2	R2	Hilight	Ø120/180	700/1700W, 900/1800W	25	-	-
3	R3	Hilight	140/250	1100/2000W	26	R13	Power resistor
4	R4	Hilight	Ø 210	2300W	27	-	-
5	-	-	-	-	28	-	-
6	O1	Input modul	E-zon	-	29	-	-
7	O2	Input modul	D-zon	-	30	-	-
8	O3	Input modul	D-zon	-	31	R9	Element C. oven outer 1000W
9	O4	Input modul	E-zon	-	32	R10	Element C. oven grill 1900W
10	-	-	-	-	33	R11	Hot air heater 1350W
11	S1	Safety switch	-	-	34	M1	Hot air fan
12	O5	Switch	Combine oven	-	35	R12	Element C. oven lower 1000W
13	-	-	-	-	36	H1	Indicator lamp cooker
14	T1	Thermostat	-	-	37	H2	Indicator lamp oven
15	-	-	-	-	38	-	-
16	E1	Oven lamp	-	-	39	H5	Display Chec
17	-	-	-	-	40	-	-
18	-	-	-	-	41	A2	Power board elektronik
19	-	-	-	-	42	-	-
20	-	-	-	-	43	-	-
21	T2	Bimetal thermostat	-	-	44	-	-
22	M2	Cooling fan	-	-	45	-	-
23	-	-	-	-	46	X1	Terminal block

MATERIAL	MODEL	SCALE	EUROPEAN METHOD
TREATMENT	DESIGN USERS	REPLACES No	
DESIGN OWNER DRN	MO	DERIVED FROM No	
WEIGHT	DATE	SUPPLY SPECIFICATIONS No	
MO	S. Ahl	02-01-14	
			TITLE
			Wiring diagram
			NUMBER
			305 2449 shl
			REV
			-