


This drawing contains confidential information and is the property of Electrolux. It may not be copied, shown or handed to a third party or otherwise used, and it is to be returned promptly upon request to the person to whom it is loaned. The person to whom it is loaned is responsible for the drawing.



Components =

1	R1	Hot plate	Ø145	1500W	24	
2	R2	Hot plate	Ø180	1500W	25	
3	R3	Hot plate	Ø145	1000W	26	R12 Resistor 2k7 17W
4	R4	Hot plate T.	Ø220	2000W	27	-
5					28	-
6	Q1	Switch	7-pos.		29	-
7	Q2	Switch	7-pos.		30	-
8	Q3	Switch	7-pos.		31	R5 Element G.oven outer 1000W
9	Q4	Input module	SAT		32	R6 Element G.oven inner 1900W
10	-	-	-		33	-
11	S1	Safety switch			34	-
12	Q5	Switch	Grilloven		35	R8 Element G.ugn under 1000W
13	-	-	-		36	H1 Indicator lamp cooker
14	T1	Thermostat	oven		37	H2 Indicator lamp oven
15	-	-	-		38	-
16	E1	Oven lamp	15W G.oven		39	-
17	-	-	-		40	-
18	-	-	-		41	-
19	-	-	-		42	A3 SAT-unit
20	-	-	-		43	-
21	-	-	-		44	-
22	-	-	-		45	-
23	-	-	-		46	X1 Terminal block

MATERIAL	-	MODEL	-	SCALE	-	EUROPEAN METHOD	☐
TREATMENT	-	DESIGN USERS	-	REPLACES No	-		
DESIGN OWNER	MO	DRN	S. Ahl	CHO	-	DATE	99 02 12
APPR	-	DATE	99 02 12	APPR	-		
TITLE				Wiring diagram			
NUMBER				305 29 27 shl			
REV				-			

Electrolux

THEORETICAL FLAT AREA
DEVELOPED FLAT AREA
GENERAL TOLERANCES
ANGLES
LENGTHS AND DIAMETERS

[2] Critical dimensions which must be under capability
SAFETY REQUIREMENT
Visible surfaces.
Draft angles (not shown):