



This drawing contains confidential information and is the property of Electrolux. It may not be copied, shown or handed to a third party or otherwise used, and it is to be returned promptly upon request to the person who issued it. The person who issues it is responsible for the drawing.

[2] Critical dimensions which must be under capability
SAFETY REQUIREMENT
Visible surfaces.
Draft angles (not shown):



Components =

1	R1	Hot plate	Ø145	1500W	24	
2	R2	Hot plate	Ø180	1500W	25	
3	R3	Hot plate	Ø145	1000W	26	R13 Resistor 2k7 17W
4	R4	Hot plate T.	Ø220	2000W	27	-
5					28	-
6	Q1	Switch		7-pos.	29	-
7	Q2	Switch		7-pos.	30	-
8	Q3	Switch		7-pos.	31	R9 Element G.oven outer 1000W
9	Q4	Switch			32	R10 Element G.oven inner 1900W
10	T3	Thermostat hot plate			33	-
11	-	-			34	-
12	O5	Switch	Grilloven		35	R12 Element G.ugn under 1000W
13	O6	Timer			36	H1 Indicator lamp cooker
14	T1	Thermostat oven			37	H2 Indicator lamp oven
15	-	-			38	-
16	E1	Oven lamp	15W	G.oven	39	-
17	-	-			40	-
18	-	-			41	-
19	-	-			42	-
20	-	-			43	-
21	-	-			44	-
22	-	-			45	-
23	-	-			46	X1 Terminal block

MATERIAL	MODEL	SCALE	EUROPEAN METHOD
TREATMENT	DESIGN USERS	REPLACES	
DESIGN OWNER DRN	WEIGHT	DERIVED FROM	
MO S. Ahl		SUPPLY SPECIFICATIONS	
CHD	DATE	TITLE	
APPR	00-05-19	Wiring diagram	
			NUMBER
			305 29 64 sh1
			REV A