


This drawing contains confidential information and is not to be copied, reproduced, or disseminated without the express written permission of Electrolux. It may not be copied, shown, or handed to a third party or otherwise used, and it is to be returned promptly upon request to the person from whom it was obtained, which is responsible for the drawing.

[2] Critical dimensions which must be under capability
 SAFETY REQUIREMENT
 Visible surfaces
 Draft angles (not shown).


THEORETICAL FLAT AREA
 DEVELOPED FLAT AREA
 GENERAL TOLERANCES
 ANGLES
 LENGTHS AND DIAMETERS




Components =

1	R1	Hotplate	Ø180	1500W	23	E1	Oven lamp	15W	B. oven
2	R2	Hotplate	Ø145	1000W	24				
3					25				
4					26	R3	Resistor	2k7	17W
5					27				
6	Q1	Switch		7-position	28				
7	Q2	Switch		7-position	29				
8					30				
9					31				
10					32	R4	Element B. oven upper	700W	
11					33				
12	Q3	Ovenswitch		Bakingoven	34				
13	T1	Thermostat			35	R5	Element B. oven lower	800W	
14					36				
15	H2	Indicator lamp		cooker	37				
16	H1	Indicating lamp		upper oven	38				
17					39				
18					40				
19					41				
20					42				
21					43	X1	Terminal block		
22					44				

400 V
 a = Oven = 1515W (26l)
 b = Rear = 1000W
 c = Front = 1500W



230 V
 a=Oven = 1515 (26l) alt Front = 1500W
 b = Rear = 1000W
 c =



82 83 49 51 47 50 52 65 67 84 44 62.63 59

MATERIAL	MODEL	SCALE	EUROPEAN METHOD
TREATMENT	DESIGN USERS	REPLACES	
DESIGN OWNER	WEIGHT	DERIVED FROM	
MO	S. Ahl	NO	
CHD	DATE	SUPPLY SPECIFICATIONS	
APPR	00-09-20	NO	
TITLE		Wiring diagram	
Electrolux		NUMBER 305 29 70sh1-REV -	