


This drawing contains confidential information and is the property of Electrolux. It may not be copied, shown or handed to a third party or otherwise used, and it is to be returned promptly upon request to the person who issued it. The person who issues this drawing is responsible for its content.

[2] Critical dimensions which must be under capability
 SAFETY REQUIREMENT
 Draft angles (not shown):
 - - - Visible surfaces.

THEORETICAL FLAT AREA
 DEVELOPED FLAT AREA
 GENERAL TOLERANCES
 ANGLES
 LENGTHS AND DIAMETERS

12 11 10 9 8 7 6 5 4 3 2 1



Components =

1	R1	Hot plate	Ø145	1500W	23	E1	Oven lamp	15W	G. oven
2	R2	Hot plate	Ø180	2000W	24				
3	R3	Hot plate	Ø220	2000W	25				
4	-	-			26	R8	Resistans	2k7	17W
5					27				
6	O1	Switch		7-pos.	28				
7	O2	Switch		7-pos.	29				
8	O3	Switch		7-pos.	30				
9	-	-			31	R7	Element G. oven outer	1000W	
10					32	R6	Element G. oven inner	1900W	
11	T1	Thermostat	Grilloven		33				
12	O5	Switch	Grilloven		34				
13					35	R5	Element G. oven lower	1000W	
14					36				
15	H1	Indicating lamp	cooker		37				
16	H2	Indicating lamp	oven		38				
17					39				
18					40				
19					41				
20					42				
21					43				
22					44	X1	Terminal block		

MATERIAL	MODEL	SCALE	EUROPEAN METHOD
TREATMENT	DESIGN USERS	REPLACES NO	
DESIGN OWNER DRN	MO	DERIVED FROM NO	
MO	S. Ahi	SUPPLY SPECIFICATIONS NO	
DATE	00-10-13	TITLE	Wiring diagram
APPR		NUMBER	305 29 79 sh1
Electrolux		REV	-

12 11 10 9 8 7 6 5 4 3 2 1