

This drawing contains confidential information and is the property of Electrolux. It may not be copied, shown or handed to a third party or otherwise used, and it is to be returned promptly upon request to the drafter, which is responsible for the drawing.



[2] Critical dimensions which must be under capability SAFETY REQUIREMENT  
 - - - - - Visible surfaces.  
 - - - - - Draft angles (not shown):

Components =

1	R1	Radiant heater Ø140 1200W	24	
2	R2	Radiant heater Ø180 1700W/1800W	25	
3	R3	Radiant heater Ø140 1200W	26	R13 Resistor 2k7 17W
4	R4	Radiant heater Ø210 2300W	27	- -
5	H4	Residual heat indc.	28	- -
6	O1	Energy regulator	29	- -
7	O2	Energy regulator	30	- -
8	O3	Energy regulator	31	R9 Element G.oven outer 1000W
9	O4	Energy regulator	32	R10 Element G.oven inner 1900W
10	-	-	33	R11 Hot air heater 1350W
11	S1	Safety switch	34	M1 Hot air fan
12	O5	Switch Grilloven	35	R12 Element G.ugn under 1000W
13	-	-	36	H1 Indicator lamp cooker
14	T1	Thermostat oven	37	H2 Indicator lamp oven
15	-	-	38	- -
16	E1	Oven lamp 15W G.oven	39	- -
17	-	-	40	- -
18	-	-	41	- -
19	-	-	42	A5 Electronic timer
20	-	-	43	A1 Switchboard
21	T2	Bimetal thermostat	44	- -
22	-	-	45	- -
23	-	-	46	X1 Terminal block

Only 230V  
 Only 400V

$a = G_o = 3350 + 15 + 25 = 3390W$   
 $b1 = RF + RR = 1200 + 1800 = 3000W$   
 $b2 = RF + RR = 1200 + 1700 = 2900W$   
 $c = LR + LF = 1200 + 2300 = 3500W$



MATERIAL	MODEL	SCALE	EUROPEAN METHOD
TREATMENT	DESIGN USERS	REPLACES No	
DESIGN OWNER	DRW	DERIVED FROM No	
MO	S. Ahl	SUPPLY SPECIFICATIONS No	
CHD	DATE	TITLE	
APPR	01-02-12	Wiring diagram	
NUMBER <b>305 29 89 sh1</b>			REV <b>B</b>