


This drawing contains confidential information and is the property of Electrolux, without whose permission it may not be copied, shown or handed to a third party or otherwise used and it is to be returned promptly upon request to the design owner, who is responsible for the drawing.

Items shown in this drawing must not contain substances that are banned according to Directive, 2002/95/EC, the RoHS Directive (Lead, Cadmium, Mercury, hexavalent Chromium, PBB and PBDE), or substances classified as "Banned" or "Restricted" according to the Electrolux Restricted Materials List.


GENERAL TOLERANCES
ANGLES
LENGTHS AND DIAMETERS

Kabelbäume / cable harness



Einzellitzen/ single wires

Pos.	Kontaktfolge contact	Auflösung structure explanation	Farbe colour	min. Querschn. min. cross-section
01	m1/2 - h4/N - A1/2 - m2/1 - A2/2	184 - 400 - 195 - 500 - 195 - 300 - 195 - 300 - 194	or	0,75 094
02	*f2.1 - r7 - r14 - r16 - *r8	▶194 - 150 - 195 - 100 - 195 - 150 - 195 - 350 - ▶194	sw	1,0 095
03	PE/1b - N1/PE BR14	184 - 260 - 194 ▶	gng	1,0 143
04	h4/PE - PE/1b - (r7+r14)PE	19 - 120 - 195 - 250 - 194	gng	1,0 001
05				
06	BF3 - BR7	▶ 194 - 100 - 194	bl	1,0 126
07	A2/1 / A1/1	184 - 520 - 194	ws	0,75 120
08				
09	N1/APD2nd BF5 - N1/BL4	194 - 180 - 194	sw	0,75 113
10	h9 - r26	▶194 - 120 - 194	sw	0,75 028
11	X1/2 - f2.2 - N1/BR4	194 - 420 - 195 - 340 - 194	or - or	1,0/0,75 138
12	X1/1 - N1/BR12	194 - 200 - 194	br	1,0 041
13	X1/5 - N1/APD1nd BF6 - N1/BR13	194 - 200 - 195 - 100 - 194	ws/ws	0,75/0,75 116
14				
15	Kanban order from factory			
16	f3.1/170° - BF4	cable harness 315 8654 00	or	
17	f3.1/170° - r5	cable harness 315 8654 00	or	
18	r5 - f3.2/120° - r26	cable harness 315 8654 00	ws	
19	f3.2/120° - *h9/2 - r7(pos2)	cable harness 315 8654 00	sw	
20	r5 - PE/1b	cable harness 315 8654 00	gng	
21				



Kanban order from factory	
Kontaktfolge/contact	Farbe colour
PE1/1b - h4.1/PE	gng
h4/N - h4.1/N	bl
h4/L - h4.1/L	or
part number: 315 8651 01	

Bezeichnung designation	Elux Sachnummer / Elux part no.
* ▶ Isolierhülse insulation housing	
Liste Anschlagteile list of crimp contacts	330 1766 00
Betriebsmittelliste list of components	330 2222 00
Liste Einzellitzen list of single wires	315 6867 00
Schaltplan circuit diagram	315 7213 11
Zeichnung OVC drawing OVC	330 6807 00

B change cable harness Pos.01 old 315 7433 01 new 315 7433 03 single wires Pos. 10 up to 13 not applicable new wires in Pos. 10 up to 13 Pos. 12 old or/0,75 new br/1,0		Büschke	DGT 55459	2007-08-16
A First edition		Büschke	DGT 53292	2007-07-19
POS.	MODIFICATIONS	SIGNATURE	REQUEST	DATE
MATERIAL	MODEL	SCALE	EUROPEAN METHOD	
TREATMENT	WEIGHT	DESIGN USERS	REPLACES	
DESIGN OWNER	CHD Büschke	2D ONLY	DERIVED FROM	
DGT	DATE 2007-07-19	APPR Büschke	SUPPLY SPECIFICATIONS	
TITLE wiring built-in oven		Verdrahtung Einbau-Bratofen		
NUMBER 315 8883		REV	B	
			1/1	



315 8883

A

E

D

C

B

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

315 8883 00			wiring oven, electronic, OVC 2000, hot air, non pyro, meat probe, L-channel, DS for light, lamp on side
VARIANT NUMBER	REPLACED NUMBER	POS.	CHANGES FROM THE BASE NUMBER